

# Results from BioBlitz 2006

## Cumberland Monestary, Cumberland, RI

---

### Mammals

Family: CANIDAE Canids	
<i>Canis familiaris</i>	Feral Dog, Domestic Dog
<i>Canis latrans</i>	Coyote
<i>Vulpes vulpes</i>	Red Fox
Family: CERVIDAE Even-toed Ungulates	
<i>Odocoileus virginianus</i>	White-tailed Deer
Family: FELIDAE Cats	
<i>Felis silvestris</i>	Feral Cat, Domestic or House Cat
Family: HOMINIDAE Humans, Great Apes	
<i>Homo sapiens</i>	Humans
Family: LEPORIDAE Hares & Rabbits	
<i>Sylvilagus floridanus</i>	Eastern Cottontail
Family: MEPHITIDAE Mephitids	
<i>Mephitis mephitis</i>	Striped Skunk
Family: MURIDAE Mice, Rats, & Voles	
<i>Ondatra zibethicus</i>	Common Muskrat
<i>Peromyscus leucopus</i>	White-footed Mouse
Family: SCIURIDAE Squirrels	
<i>Sciurus carolinensis</i>	Eastern Gray Squirrel
<i>Tamias striatus</i>	Eastern Chipmunk
Family: SORICIDAE Shrews	
<i>Blarina brevicauda</i>	Northern Short-tailed Shrew
Family: VESPERTILIONIDAE Vespertilionid Bats	
<i>Eptesicus fuscus</i>	Big Brown Bat

---

### Birds

Family: ACCIPITRIDAE Hawks	
<i>Buteo jamaicensis</i>	Red-tailed Hawk
Family: ANATIDAE Swans, Geese, And Ducks	
<i>Anas platyrhynchos</i>	Mallard
Family: APODIDAE Swifts	
<i>Chaetura pelagica</i>	Chimney Swift
Family: BOMBYCILLIDAE Waxwings	
<i>Bombycilla cedrorum</i>	Cedar Waxwing

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: CARDINALIDAE Cardinals And Grosbeaks	
<i>Cardinalis cardinalis</i>	Northern Cardinal
<i>Passerina cyanea</i>	Indigo Bunting
<i>Pheucticus ludovicianus</i>	Rose-breasted Grosbeak
Family: COLUMBIDAE Doves And Pigeons	
<i>Columba livia</i>	Rock Dove
<i>Zenaida macroura</i>	Mourning Dove
Family: CORVIDAE Jays And Crows	
<i>Corvus brachyrhynchos</i>	American Crow
<i>Cyanocitta cristata</i>	Blue Jay
Family: CUCULIDAE Cuckoos	
<i>Coccyzus americanus</i>	Yellow-billed Cuckoo
<i>Coccyzus erythrophthalmus</i>	Black-billed Cuckoo
Family: EMBERIZIDAE Towhees And Sparrows	
<i>Melospiza melodia</i>	Song Sparrow
<i>Spizella passerina</i>	Chipping Sparrow
<i>Spizella pusilla</i>	Field Sparrow
Family: FRINGILLIDAE Finches And Allies	
<i>Carduelis tristis</i>	American Goldfinch
<i>Carpodacus mexicanus</i>	House Finch
Family: HIRUNDINIDAE Swallows	
<i>Riparia riparia</i>	Bank Swallow
<i>Tachycineta bicolor</i>	Tree Swallow
Family: ICTERIDAE Blackbirds, Orioles, And Allies	
<i>Agelaius phoeniceus</i>	Red-winged Blackbird
<i>Icterus galbula</i>	Baltimore Oriole
<i>Molothrus ater</i>	Brown-headed Cowbird
<i>Quiscalus quiscula</i>	Common Grackle
Family: LARIDAE Jaegers, Gulls, Terns, And Allies	
<i>Larus delawarensis</i>	Ring-billed Gull
Family: MIMIDAE Mockingbirds And Thrashers	
<i>Dumetella carolinensis</i>	Gray Catbird
<i>Mimus polyglottos</i>	Northern Mockingbird
Family: PARIDAE Titmice	
<i>Baeolophus bicolor</i>	Tufted Titmouse
<i>Poecile atricapillus</i>	Black-capped Chickadee

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: PARULIDAE Wood Warblers

<i>Dendroica discolor</i>	Prairie Warbler
<i>Dendroica petechia</i>	Yellow Warbler
<i>Dendroica pinus</i>	Pine Warbler
<i>Geothlypis trichas</i>	Common Yellowthroat
<i>Helmitheros vermivorus</i>	Worm-eating Warbler
<i>Mniotilta varia</i>	Black-and-white Warbler
<i>Seiurus aurocapillus</i>	Ovenbird
<i>Setophaga ruticilla</i>	American Redstart
<i>Vermivora pinus</i>	Blue-winged Warbler

Family: PASSERIDAE House Sparrows

<i>Passer domesticus</i>	House Sparrow
--------------------------	---------------

Family: PHASIANIDAE Pheasants, Quails, And Grouse

<i>Meleagris gallopavo</i>	Wild Turkey
----------------------------	-------------

Family: PICIDAE Woodpeckers

<i>Colaptes auratus</i>	Northern Flicker
<i>Melanerpes carolinus</i>	Red-bellied Woodpecker
<i>Picoides pubescens</i>	Downy Woodpecker

Family: SITTIDAE Nuthatches

<i>Sitta carolinensis</i>	White-breasted Nuthatch
---------------------------	-------------------------

Family: STURNIDAE Starlings

<i>Sturnus vulgaris</i>	European Starling
-------------------------	-------------------

Family: SYLVIIDAE Gnatcatchers

<i>Polioptila caerulea</i>	Blue-gray Gnatcatcher
----------------------------	-----------------------

Family: THRAUPIDAE Tanagers

<i>Piranga olivacea</i>	Scarlet Tanager
-------------------------	-----------------

Family: TROCHILIDAE Hummingbirds

<i>Archilochus colubris</i>	Ruby-throated Hummingbird
-----------------------------	---------------------------

Family: TROGLODYTIDAE Wrens

<i>Thryothorus ludovicianus</i>	Carolina Wren
<i>Troglodytes aedon</i>	House Wren

Family: TURDIDAE Thrushes

<i>Catharus fuscescens</i>	Veery
<i>Catharus guttatus</i>	Hermit Thrush
<i>Hylocichla mustelina</i>	Wood Thrush
<i>Sialia sialis</i>	Eastern Bluebird
<i>Turdus migratorius</i>	American Robin

Family: TYRANNIDAE Tyrant Flycatchers

<i>Contopus virens</i>	Eastern Wood Pewee
<i>Myiarchus crinitus</i>	Great Crested Flycatcher
<i>Tyrannus tyrannus</i>	Eastern Kingbird

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: VIREONIDAE Vireos

<i>Vireo flavifrons</i>	Yellow-throated Vireo
<i>Vireo gilvus</i>	Warbling Vireo
<i>Vireo olivaceus</i>	Red-eyed Vireo
<i>Vireo solitarius</i>	Solitary Vireo, Blue-headed Vireo

---

## Reptiles

Family: CHELYDRIDAE Snapping Turtles

<i>Chelydra serpentina serpentina</i>	Common Snapping Turtle
---------------------------------------	------------------------

Family: COLUBRIDAE Colubrids

<i>Coluber constrictor constrictor</i>	Northern Black Racer
<i>Lampropeltis triangulum triangulum</i>	Eastern Milk Snake
<i>Thamnophis sirtalis sirtalis</i>	Eastern Garter Snake

---

## Amphibians

Family: AMBYSTOMATIDAE Mole Salamanders

<i>Ambystoma maculatum</i>	Spotted Salamander
----------------------------	--------------------

Family: BUFONIDAE Toads

<i>Bufo americanus</i>	American Toad
------------------------	---------------

Family: HYLIDAE Treefrogs

<i>Hyla versicolor</i>	Gray Treefrog
------------------------	---------------

Family: PLETHODONTIDAE Lungless Salamanders

<i>Eurycea bislineata</i>	Northern Two-lined Salamander
<i>Plethodon cinereus</i>	Northern Red-backed Salamander

Family: RANIDAE True Frogs

<i>Rana catesbeiana</i>	Bullfrog
<i>Rana clamitans melanota</i>	Green Frog
<i>Rana palustris</i>	Pickerel Frog
<i>Rana sylvatica</i>	Wood Frog

Family: SALAMANDRIDAE Newts

<i>Notophthalmus viridescens viridescens</i>	Red-spotted Newt
--	------------------

---

## Spiders

Family: AGELENIDAE Funnel Weavers

<i>Agelenopsis pennsylvanica</i>	Funnel Weaver
----------------------------------	---------------

Family: AMAUROBIIDAE Hackledmesh Weavers

<i>Coras medicinalis</i>	A Hackled Meshweaver
--------------------------	----------------------

Family: ANYPHAENIDAE Ghost Spiders

<i>Anyphaena celer</i>	Ghost Spider
------------------------	--------------

Family: ARANEIDAE Orb Web Spiders

<i>Araneus cornutus</i>	Orbweaver
<i>Araniella displicata</i>	Sixspotted Orbweaver
<i>Larinioides</i>	Orbweaver
<i>Larinioides cornutus</i>	Furrow Orbweaver

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: DICTYNIDAE Meshweb Weavers	
<i>Dictyna sublata</i>	Meshweb Weaver
Family: DYSDERIDAE Cell spiders	
<i>Dysdera crocata</i>	Dysderid Spider, Woodlouse Spider
Family: ERIOPHYIDAE Eriophyid Mites	
<i>Eriophyes padi</i>	Cherry Leaf Gall Mite
Family: IXODIDAE Hardbacked Ticks	
<i>Dermacentor variabilis</i>	American Dog Tick
Family: LINYPHIIDAE Sheetweb and Dwarf Spiders	
<i>Frontinella communis</i>	Bowl and Doily Spider
<i>Frontinella pyramitela</i>	
Family: LYCOSIDAE Wolf Spiders	
<i>Hogna carolinensis</i>	Wolf Spider
<i>Hogna helluo</i>	
<i>Pirata montanus</i>	
<i>Schizocosa avida</i>	
<i>Schizocosa saltatrix</i>	
Family: MITURGIDAE Prowling Spiders	
<i>Cheiracanthium mildei</i>	Yellow Sac Spider
Family: OXYOPIDAE Lynx Spiders	
<i>Oxyopes salticus</i>	Striped Lynx Spider
Family: PHILODROMIDAE Running Crab Spiders	
<i>Ebo lathithorax</i>	Philodromid Crab Spider
<i>Philodromus pernix</i>	
Family: PHOLCIDAE Cellar or Daddylongleg Spiders	
<i>Pholcus phalangoida</i>	Long-bodied Cellar Spider
Family: PISAURIDAE Nursery Web Spiders	
<i>Dolomedes tenebrosus</i>	Dark Fishing spider
<i>Pisaurina mira</i>	Nursery Web Spider
Family: SALTICIDAE Jumping Spiders	
<i>Maevia inclemens</i>	Jumping Spider
<i>Metacyrba undata</i>	
<i>Phidippus audax</i>	Daring Jumping Spider
<i>Phidippus clarus</i>	Red and Black Jumper
<i>Salticus scenicus</i>	Zebra Spider
Family: SCLEROSOMATIDAE	
<i>Leiobunum ventricosum</i>	Harvestman Spider
<i>Leiobunum vittatum</i>	
Family: TETRAGNATHIDAE Stretch Spiders, Long-jawed Spiders	
<i>Leucauge venusta</i>	Orchard Orbweaver
<i>Tetragnatha versicolor</i>	A Longjawed Orbweaver

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: THERIDIIDAE Cobweb Weavers

*Achaearanea tepidariorum*

Common House Spider

*Steatoda borealis*

Boreal Combfoot

*Theridion murarium*

Comb-footed Spider

*Thymoites unimaculatus*

Cobweb Weaver

Family: THOMISIDAE Crab Spiders

*Misumena vatia*

Goldenrod Crab Spider

---

## Crabs/Lobsters/Shrimp

Family: ASELLIDAE

*Caecidotea communis*

Freshwater Isopod

Family: GAMMARIDAE

*Gammarus*

Freshwater Shrimp

Family: ONISCIDAE

*Oniscus asellus*

Family: PORCELLIONIDAE

*Porcellio spinicornis*

European Sowbug

---

## Insects

Family: \_NOT APPLICABLE

*Ichneumonoidea*

*Symphyta*

Family: \_UNASSIGNED DERMAPTERA

*Dermaptera*

Earwigs

Family: \_UNASSIGNED DIPTERA

*Diptera*

Family: \_UNASSIGNED TRICHOPTERA

*Trichoptera*

Caddisfly

Family: ACRIDIDAE

*Acrididae*

Family: APIDAE Cuckoo, Carpenter, Digger, Bumble, and Honey Bees

*Apis mellifera*

Honeybee

*Bombus pennsylvanicus*

Bumble Bee

Family: BELOSTOMATIDAE Giant Water Bugs

*Lethocerus americanus*

A Giant Water Bug

Family: BERYTIDAE

*Berytidae*

Family: BLATTELLIDAE

*Parcoblatta*

Family: BLATTIDAE Blattid Cockroaches

*Blattidae*

Cockroach

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: CALLIPHORIDAE

*Calliphoridae*

Family: CECIDOMYIIDAE Gall Gnats, Gall Midges

*Caryomyia*

Hickory Leaf Gall

*Cecidomyia ocellaris*

Maple Leaf Ocellate Gall Maker

Family: CERCOPIDAE Froghoppers, Spittlebugs

*Philaenus spumarius*

Meadow Froghopper, Meadow Spittlebug

Family: CHIRONOMIDAE

*Chironomus*

Family: CORDULEGASTRIDAE Spiketails

*Cordulegaster*

Spiketail

Family: CORIXIDAE Water Boatmen

*Hesperocorixa interrupta*

A Water Boatmen

Family: CORYDALIDAE Dobsonflies, Fishflies, Hellgrammites

*Chauliodes rastricornis*

Fishfly

Family: CULICIDAE Mosquitoes

*Aedes triseriatus*

Eastern Treehole Mosquito

*Aedes trivittatus*

Plains Floodwater Mosquito

*Culex pipiens*

Common House Mosquito

*Ochlerotatus japonicus*

Asian Tiger Mosquito

Family: CYNIPIDAE Cynipid Gall Wasps, Gall Wasps

*Amphibolips confluenta*

Oak Apple Gall Wasp

*Callirhytis seminator*

Woolsower Oak Gall

*Disholcaspis omnivora*

Oak Bullet Gall Wasp

Family: DYTISCIDAE

*Dytiscus*

Family: EPHEMERIDAE

*Ephemera*

Family: FORFICULIDAE

*Forficulidae*

Family: FORMICIDAE Ants

*Camponotus americanus*

Carpenter Ant

*Camponotus pennsylvanicus*

Black Carpenter Ant, North American Carpenter Ant

*Crematogaster*

*Formica*

*Lasius*

*Stenamma*

Family: GRYLLACRIDIDAE

*Gryllacrididae*

Family: GRYLLIDAE Crickets

*Gryllus*

Field Cricket

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: HALICTIDAE

*Lasioglossum*

Family: HORMAPHIDIDAE Aphids

*Hormaphis hamamelidis*

Witch Hazel Cone Gall Aphid

Family: ICHNEUMONIDAE

*Ichneumonidae*

Family: LYGAEIDAE

*Lygaeus*

Family: MEMBRACIDAE

*Membracidae*

Family: MIRIDAE

*Miridae*

Family: NEPIDAE Water Scorpions

*Ranatra fusca*

Water Scorpion

Family: NOTONECTIDAE Back Swimmers, Backswimmers

*Notonecta undulata*

A Backswimmer

Family: PENTATOMIDAE Stink Bugs

*Pentatomidae*

Stink Bug

Family: PERLIDAE

*Perlidae*

Family: PTEROMALIDAE Pteromalid Wasps

*Hemadas nubilipennis*

Blueberry Stem Gall Wasp

Family: RHINOTERMITIDAE Subterranean Termites

*Reticulitermes flavipes*

Eastern Subterranean Termite

Family: SCIOMYZIDAE

*Sciomyzidae*

Family: SYRPHIDAE

*Syrphidae*

Family: TABANIDAE Horseflies

*Tabanidae*

Deerfly

Family: TACHINIDAE

*Tachinidae*

Family: TENTHREDINIDAE

*Tenthredinidae*

Family: TIPULIDAE

*Tipulidae*

Family: VESPIDAE

*Vespidae*

---

### Dragonflies



# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: \_NOT APPLICABLE

*Odonata*

Family: CALOPTERYGIDAE Broad-winged Damsels

*Calopteryx maculata* Ebony Jewelwing

Family: COENAGRIONIDAE Pond Damsels

*Ischnura posita* Fragile Forktail

*Ischnura verticalis* Eastern Forktail

Family: LESTIDAE Spreadwings

*Lestes dryas* Emerald Spreadwing

Family: LIBELLULIDAE Cruisers, Emeralds, and Skimmers

*Libellula pulchella* Twelve-spotted Skimmer

*Perithemis tenera* Eastern Amberwing

---

## Moths/Butterflies

Family: \_NOT APPLICABLE

*Lepidoptera*

Family: AGARISTIDAE

*Agaristidae*

Family: ARCTIIDAE

*Arctiidae*

*Apantesis phalerata* Harnessed Moth

*Grammia virgo* Virgin Tiger Moth

*Holomelina aurantiaca* Orange Holomelina

*Spilosoma virginica* Virginian Tiger Moth or Yellow Woollybear Moth

Family: DREPANIDAE Hook-tipped moths

*Oreta rosea*

Family: GELECHIIDAE Twirler Moths

*Gnorimoschema gallaesolidaginis* Goldenrod Elliptical-gall Moth

Family: GEOMETRIDAE

*Geometridae*

*Biston betularia cognataria* Pepper And Salt Moth

*Campaea perlata* Pale Beauty

*Nemoria rubrifrontaria*

*Pero honestaria*

*Plagodis alcoolaria*

*Probole alienaria*

*Probole nyssaria*

*Tetracis crocallata*

*Xanthotype urticaria*

Family: HESPERIIDAE

*Hesperiidae*

*Polites peckius* Peck's Skipper

*Wallengrenia egeremet* Northern Broken Dash

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: LASIOCAMPIDAE Tent caterpillars	
<i>Malacosoma americanum</i>	Eastern Tent Caterpillars
Family: LYMANTRIIDAE Tussock moths	
<i>Lymantria dispar</i>	Gypsy Moth
Family: NOCTUIDAE	
<i>Noctuidae</i>	
<i>Acronicta hasta</i>	
<i>Callopietria mollissima</i>	
<i>Catocala</i>	
<i>Leucania scirpicola</i>	
<i>Orthodes crenulata</i>	
<i>Parallelia bistriaris</i>	
<i>Phalaenophana pyramusalis</i>	Dark-banded Owlet
<i>Xestia dolosa</i>	
<i>Zale horrida</i>	Horrid Zale
Family: NOTODONTIDAE Notodontid moths	
<i>Nadata gibbosa</i>	
<i>Symmerista albifrons</i>	
Family: NYMPHALIDAE Brush-Footed Butterflies	
<i>Danaus plexippus</i>	Monarch
<i>Megisto cymela</i>	Little Wood Satyr
<i>Phyciodes tharos</i>	Pearl Crescent
<i>Satyroides eurydice</i>	Eyed Brown
Family: PAPILIONIDAE Swallowtails	
<i>Papilio glaucus</i>	Tiger Swallowtail
Family: PIERIDAE Whites and Yellows	
<i>Pieris rapae</i>	European Cabbage White
Family: PYRALIDAE Pyralid snout moths	
<i>Pyralidae</i>	
<i>Desmia funeralis</i>	Grape Leafholder Moth
Family: SPHINGIDAE Sphinx moths	
<i>Hemaris thysbe</i>	Hummingbird clearwing
<i>Laothoe juglandis</i>	
Family: ZYGAENIDAE Smoky Moths and Burnets	
<i>Pyromorpha dimidiata</i>	

---

### Beetles

Family: BRENTIDAE	
<i>Brentidae</i>	
Family: BUPRESTIDAE	
<i>Buprestidae</i>	
Family: CANTHARIDAE	
<i>Cantharidae</i>	

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: CARABIDAE

*Carabidae*

Family: CERAMBYCIDAE

*Stenocorus vittiger*

Longhorned Beetle

Family: CHRYSOMELIDAE

*Charidotella sexpunctata*

Tortoise Beetle

*Chrysolina*

Flea Beetle

*Labidomera clivicollis*

Milkweed Leaf Beetle

*Lilioceris lili*

Lily-leaf Beetle

Family: CICINDELIDAE

*Cicindela sexguttata*

Six-spotted Tiger Beetle

Family: COCCINELLIDAE Ladybird Beetles

*Coccinellidae*

*Coccinella septempunctata*

C-7, Seven-spotted Ladybeetle

Family: CURCULIONIDAE

*Curculionidae*

Family: ELATERIDAE

*Elateridae*

Family: GYRINIDAE Whirligig Beetles

*Gyrinus*

Family: LAMPYRIDAE

*Photinus*

*Lampyridae*

Family: LUCANIDAE

*Lucanidae*

Family: SCARABAEIDAE

*Scarabaeidae*

*Maladera castanea*

Asiatic Garden Beetle

Family: SILPHIDAE

*Silphidae*

*Nicrophorus orbicollis*

Carrion Beetle

*Thanatophilus lapponicus*

Northern Carrion Beetle

---

### Slug/Snail

Family: ARIONIDAE

*Arion subfuscus*

Dusky Arion

Family: CASSIDIDAE

*Cassididae*

Family: DISCIDAE

*Anguispira alternata*

Flamed Tigersnail; Eastern Forest Snail

Family: LIMACIDAE

*Limax maximus*

Leopard Slug, Giant Garden Slug

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

## Other Non-vertebrate

Family: PISIDIIDAE Peaclams

*Musculium partumeium*

Swamp Fingernailclam

---

## Vascular Plants

Family: ACERACEAE Maple Family

*Acer campestre*

Hedge or Field Maple

*Acer palmatum*

Japanese Maple

*Acer platanoides*

Norway Maple

*Acer pseudoplatanus*

Sycamore Maple

*Acer rubrum*

Red, Swamp-, or Soft Maple

*Acer saccharinum*

Silver, Soft, River-, or White Maple

*Acer saccharum*

Sugar, Rock-, or Hard Maple

Family: ANACARDIACEAE Sumac family

*Rhus copallinum*

Shining, Winged, or Dwarf Sumac

*Rhus glabra*

Smooth Sfumac

*Rhus typhina*

Staghorn or Velvet Sumac

*Toxicodendron radicans radicans*

Common Poison Ivy, Cow-itch, Poison Mercury, "Poison Oak"  
(RI Colloq.)

Family: APIACEAE Carrot family

*Aegopodium podagraria*

Goutweed

*Daucus carota*

Queen Anne's Lace, Wild Carrot, Devil's-plague, Bird's-nest

*Hydrocotyle americana*

Marsh-pennywort

*Sanicula gregaria*

Cluster-sanicle

*Zizia aurea*

Common Golden Alexanders

Family: APOCYNACEAE Periwinkle Family

*Apocynum androsaemifolium*

Spreading Dogbane

Family: AQUIFOLIACEAE Holly Family

*Ilex verticillata var. verticillata*

Winterberry, Black Alder (RI Colloq.)

Family: ARACEAE Arum Family

*Arisaema triphyllum triphyllum*

Jack-in-the-pulpit, Bog-onion, Indian-turnip, Memory Root

*Symplocarpus foetidus*

Skunk-cabbage

Family: ARALIACEAE Ivy and Ginseng Family

*Aralia nudicaulis*

Wild Sarsaparilla

*Panax trifolius*

Dwarf Ginseng, Ground-nut

Family: ASCLEPIADACEAE Milkweed Family

*Asclepias incarnata var. pulchra*

Swamp-milkweed

*Asclepias syriaca*

Common Milkweed, Silkweed

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

### Family: ASTERACEAE Sunflowers

<i>Achillea millefolium</i>	Yarrow (common)
<i>Ageratum</i>	Ageratum
<i>Ambrosia artemisiifolia</i>	Common Ragweed, Roman Wormwood
<i>Ambrosia trifida</i> var. <i>trifida</i>	Great or Giant Ragweed, Buffalo-weed
<i>Arctium minus</i>	Common Burdock
<i>Artemisia stelleriana</i>	Dusty Miller, Old Woman, Beach-wormwood
<i>Artemisia vulgaris</i>	Common Mugwort
<i>Aster acuminatus</i>	Sharp-leaved, Mountain-, Whorled Wood-, or Whorled Aster
<i>Aster divaricatus</i> <i>divaricatus</i>	White Wood-aster, Common White Heart-leaved Aster
<i>Aster macrophyllus</i>	Large-leaved or Big-leaved Aster
<i>Aster paternus</i>	Toothed White-topped Aster
<i>Aster radula</i>	Rough-leaved or Low Rough Aster
<i>Aster undulatus</i>	Wavy-leaved or Clasping Heart-leaved Aster
<i>Bidens</i>	Beggartick, Beggarticks, Devil'ssticktight, Spanish Needles
<i>Centaurea maculosa</i>	Spotted Knapweed
<i>Chrysanthemum leucanthemum</i>	Ox-eye Daisy, White Daisy, Marguerite, Whiteweed
<i>Conyza canadensis</i> var. <i>canadensis</i>	Horseweed, Hogweed, Butter-weed, Common Horse-weed
<i>Erigeron annuus</i>	Daisy-fleabane, White-top, Annual Fleabane
<i>Erigeron philadelphicus</i>	Philadelphia or Common Daisy-fleabane
<i>Erigeron strigosus</i>	Rough Fleabane
<i>Eupatorium pilosum</i>	Rough Boneset, Thoroughwort, Ragged Eupatorium
<i>Eupatorium</i>	Unknown Joe-pye-weed
<i>Galinsoga quadriradiata</i>	Gallant Soldiers, Hairy Galinsoga, Common Quickweed, Blackweed
<i>Hieracium caespitosum</i>	Yellow King-devil, Field- or Yellow Hawkweed
<i>Hieracium piloselloides</i>	Glaucous King-devil
<i>Hieracium venosum</i>	Rattlesnake-weed, Poor Robin's Plantain, Veiny Hawkweed
<i>Krigia virginica</i>	Dwarf Dandelion
<i>Lactuca canadensis</i>	Wild or Tall Lettuce, "milkweed"
<i>Matricaria matricarioides</i>	Pineapple-weed
<i>Prenanthes</i>	Rattlesnake-root
<i>Senecio aureus</i>	Golden Ragwort, Squaw-weed, Heart-leaved Groundsel
<i>Solidago</i>	Goldenrod
<i>Solidago caesia</i>	Blue-stem, Wreath, or Axillary Goldenrod
<i>Solidago canadensis</i> var. <i>scabra</i>	Tall Goldenrod
<i>Solidago gigantea</i>	Late or Smooth Goldenrod
<i>Solidago juncea</i>	Summer- or Early Goldenrod
<i>Solidago rugosa</i>	(Rough) Rough Goldenrod
<i>Taraxacum officinale</i>	Common Dandelion, Blowballs
<i>Tragopogon pratensis</i>	Showy or Yellow Goat's-beard

### Family: BALSAMINACEAE Balsam, Impatiens Family

<i>Impatiens capensis</i>	Spotted or Orange Touch-me-not, Jewelweed, Snapweed
---------------------------	---

### Family: BERBERIDACEAE Barberry Family

<i>Berberis thunbergii</i>	Japanese Barberry
<i>Berberis vulgaris</i>	Common or European Barberry

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: BETULACEAE Alder, Birch

<i>Alnus</i>	Alder
<i>Betula alleghaniensis</i>	Yellow Birch
<i>Betula lenta</i>	Sweet, Black, or Cherry Birch
<i>Betula nigra</i>	River- or Red Birch
<i>Betula papyrifera var. papyrifera</i>	White Birch, Paper-or Canoe-birch
<i>Betula populifolia</i>	Gray, Oldfield Birch, or White Birch
<i>Carpinus caroliniana var. virginiana</i>	Ironwood, Musclewood, Blue Beech, American Hornbeam
<i>Corylus americana</i>	American Hazelnut
<i>Corylus cornuta</i>	Beaked Hazelnut
<i>Ostrya virginiana</i>	Hop-hornbeam, Ironwood, Leverwood

Family: BRASSICACEAE Mustard family

<i>Barbarea vulgaris</i>	Common Winter-ress, Yellow Rocket
<i>Berteroa incana</i>	Hoary Alyssum
<i>Brassica juncea</i>	Brown, Chinese or Indian Mustard, Leaf-mustard
<i>Hesperis matronalis</i>	Dame's Rocket, Dame's Violet, Mother-of-the-evening
<i>Lepidium campestre</i>	Cow-ress, Field-ress
<i>Lepidium virginicum var. virginicum</i>	Poor Man's Pepper
<i>Raphanus raphanistrum</i>	Wild Radish, Jointed Charlock

Family: BUXACEAE

<i>Buxus sp.</i>	Boxwood
------------------	---------

Family: CAESALPINIACEAE

<i>Gleditsia triacanthos</i>	Honey-locust, Honey-shuck
------------------------------	---------------------------

Family: CAMPANULACEAE Bellflower Family

<i>Lobelia cardinalis cardinalis</i>	Cardinal-flower
<i>Triodanis perfoliata</i>	Venus's Looking-glass

Family: CAPRIFOLIACEAE Honeysuckle Family

<i>Lonicera japonica</i>	Japanese Honeysuckle
<i>Lonicera maackii</i>	Amur Honeysuckle
<i>Lonicera morrowii</i>	Morrow's Fly-honeysuckle
<i>Sambucus canadensis var. canadensis</i>	Common Elderberry
<i>Viburnum acerifolium</i>	Maple-leaved Viburnum, Dockmackie, Arrowwood, Flowering Maple
<i>Viburnum dentatum var. lucidum</i>	Northern or Common Arrowwood
<i>Viburnum nudum var. cassinoides</i>	Witherod, Northern Wild Raisin

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: CARYOPHYLLACEAE Cariophyllacées, Pinks

<i>Arenaria lateriflora</i>	Grove-sandwort
<i>Cerastium arvense</i>	Field-chickweed, Starry Grasswort
<i>Cerastium vulgatum</i>	Common Mouse-ear Chickweed
<i>Dianthus armeria</i>	Deptford-pink
<i>Saponaria officinalis</i>	Soapwort, Bouncing-bet
<i>Scleranthus annuus</i>	Annual Knawel
<i>Silene latifolia</i>	White Champion, Evening Lychnis, White Cockle
<i>Silene vulgaris</i>	Bladder-campion, Maiden's Tears
<i>Spergularia rubra</i>	Purple or Roadside Sand-spurrey
<i>Stellaria graminea</i>	Common or Lesser Stitchwort

Family: CELASTRACEAE Bittersweet family

<i>Celastrus orbiculatus</i>	Asiatic or Oriental Bittersweet
<i>Euonymus alatus</i>	Winged Euonymus, Burning-bush, Spindle-tree, Wahoo, Firebush

Family: CHENOPODIACEAE Goosefoot family

<i>Chenopodium album</i>	Lamb's-quarters, Pigweed
--------------------------	--------------------------

Family: CISTACEAE

<i>Helianthemum canadense</i>	Frostweed, Rockrose
<i>Lechea mucronata</i>	Hairy Pinweed

Family: CLETHRACEAE White-alder Family

<i>Clethra alnifolia</i>	Sweet Pepperbush, Soapbush, Coast White Alder, Summer-sweet
--------------------------	---

Family: CLUSIACEAE St John's wort family

<i>Hypericum ellipticum</i>	Pale St. John's-wort
<i>Hypericum gentianoides</i>	Orange-grass, Pinweed
<i>Hypericum perforatum</i>	Common St. John's-wort

Family: CONVULVULACEAE Morning-glory family

<i>Calystegia</i>	Falsebindweed, False Bindweed
<i>Calystegia sepium</i>	Hedge-bindweed, Wild Morning-glory
<i>Convolvulus arvensis</i>	Field-bindweed
<i>Ipomoea purpurea</i>	Common Morning-glory

Family: CORNACEAE Dogwood Family

<i>Cornus alternifolia</i>	Alternate-leaved or Gray Dogwood, Pagoda-dogwood, Green-osier
<i>Cornus amomum var. amomum</i>	Silky or Knob-styled Dogwood, "Red Willow"
<i>Cornus florida</i>	Flowering Dogwood
<i>Cornus kousa</i>	Kousa dogwood
<i>Cornus racemosa</i>	Gray or Red-panicked Dogwood, Northern Swamp-dogwood

Family: CUPRESSACEAE Cypress Family

<i>Juniperus</i>	Western Red Cedar
<i>Juniperus communis var. depressa</i>	Common Juniper, Savin, Barren Ground-juniper (RI Colloq.)
<i>Juniperus virginiana var. virginiana</i>	Northern or Eastern Red Cedar

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

### Family: CYPERACEAE Sedge Family

<i>Carex bromoides</i>	Brome-sedge
<i>Carex debilis</i> var. <i>rudgei</i>	Rudge's Sedge
<i>Carex intumescens</i>	Bladder-sedge
<i>Carex laxiflora</i>	(loosely-flowered) Sedge
<i>Carex lurida</i>	(reddish-yellow) Sedge
<i>Carex pennsylvanica</i>	Pennsylvania sedge, Pennsylvania sedge
<i>Carex scoparia</i>	Broom-sedge
<i>Carex stricta</i>	Tussock Sedge
<i>Carex swanii</i>	Swan's Sedge
<i>Carex vulpinoidea</i> var. <i>vulpinoidea</i>	Fox-sedge
<i>Scirpus atrovirens</i>	(dark Green) Dusky or Black Bulrush

### Family: DENNSTAEDTIACEAE Fern Family

<i>Dennstaedtia punctilobula</i>	Hay-scented Fern, Boulder-fern
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	Bracken Fern, Brakes (RI Colloq.)

### Family: DRYOPTERIDACEAE Wood Fern Family

<i>Athyrium filix-femina</i>	Common Ladyfern, Lady Fern, Ladyfern, Subarctic Lady Fern
<i>Dryopteris cristata</i>	Crested Wood-fern
<i>Dryopteris marginalis</i>	Marginal Shield-fern or Wood-fern, Evergreen Wood-fern, Leatherleaf
<i>Onoclea sensibilis</i>	Sensitive Fern
<i>Polystichum acrostichoides</i>	Christmas Fern, Dagger-fern, Canker-brake

### Family: ELAEAGNACEAE Oleaster Family

<i>Elaeagnus umbellata</i>	Autumn Olive, "Russian Olive" (RI Colloq.)
----------------------------	--

### Family: EQUISETACEAE Horsetail Family

<i>Equisetum arvense</i>	Field-horsetail, Common Horsetail
--------------------------	-----------------------------------

### Family: ERICACEAE Heath Family

<i>Enkianthus</i>	Enkianthus
<i>Gaultheria procumbens</i>	Wintergreen, Teaberry, Checkerberry
<i>Gaylussacia baccata</i>	Black Huckleberry
<i>Lyonia ligustrina</i>	Maleberry, He-huckleberry
<i>Oxydendrum arboreum</i>	Sourwood
<i>Rhododendron</i> cv.	Rhododendron
<i>Rhododendron viscosum</i>	Clammy Azalea, Swamp-azalea, Swamp-honeysuckle
<i>Vaccinium angustifolium</i>	Common Lowbush-blueberry, Low or Late Sweet Blueberry
<i>Vaccinium corymbosum</i>	Highbush Blueberry
<i>Vaccinium pallidum</i>	Low, Lowbush, or Early Sweet Blueberry, Hillside Blueberry



## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

### Family: FABACEAE Legume family

<i>Amphicarpaea bracteata</i>	Hog-peanut
<i>Apios americana</i>	Groundnut, Wild Bean, Potato-bean
<i>Baptisia tinctoria</i>	Yellow or Black Wild Indigo, Rattleweed, Horsefly-weed
<i>Cercis canadensis</i>	Eastern Redbud
<i>Desmodium canadense</i>	Showy or Canadian Tick-trefoil, Beggar's-ticks, or Tick-clover
<i>Desmodium paniculatum</i>	Narrow-leaved or Panicked Tick Trefoil, Beggar's-ticks, or Tick-clover
<i>Lespedeza hirta hirta</i>	Hairy Bush-clover or Lespedeza
<i>Lespedeza repens</i>	Smooth Trailing Bush Clover
<i>Medicago lupulina</i>	Black Medick, Nonesuch
<i>Melilotus</i>	Sweet Clover
<i>Robinia pseudoacacia</i>	Black Locust, False Acacia
<i>Trifolium dubium</i>	Little or Least Hop-clover
<i>Trifolium hybridum</i>	Alsike Clover
<i>Trifolium pratense</i>	Red Clover
<i>Trifolium repens</i>	White Clover
<i>Vicia angustifolia</i>	Narrow-leaved or Common Vetch
<i>Vicia cracca</i>	Tufted Vetchn Cow- or Bird-vetch

### Family: FAGACEAE Beech Family

<i>Castanea dentata</i>	American Chestnut
<i>Castanea mollissima</i>	Chinese Chestnut
<i>Fagus cv.</i>	Weeping Beech
<i>Fagus grandifolia</i>	American Beech, Red Beech
<i>Fagus sylvatica</i>	European Beech
<i>Quercus alba</i>	White Oak
<i>Quercus bicolor</i>	Swamp White Oak
<i>Quercus coccinea</i>	Scarlet Oak
<i>Quercus ilicifolia</i>	Scrub-oak, Bear-oak
<i>Quercus palustris</i>	Pin-oak, Spanish Oak
<i>Quercus rubra</i>	Red Oak
<i>Quercus velutina</i>	Black Oak

### Family: GERANIACEAE Geranium family

<i>Geranium maculatum</i>	Wild or Spotted Geranium, Cranesbill
<i>Pelargonium</i>	Cultivated Geranium

### Family: HAMAMELIDACEAE Witch-hazel Family

<i>Hamamelis virginiana</i>	Witch-hazel
-----------------------------	-------------

### Family: HIPPOCASTANACEAE

<i>Aesculus hippocastanum</i>	Horse-chestnut
-------------------------------	----------------

### Family: IRIDACEAE Iris Family

<i>Iris versicolor</i>	Northern Blue Flag, Wild Iris, Poison Flag
------------------------	--

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: JUGLANDACEAE

<i>Carya glabra</i>	Pignut, Pignut-hickory
<i>Carya ovata</i>	Shagbark Hickory
<i>Carya tomentosa</i>	Mockernut, White-heart Hickory
<i>Juglans nigra</i>	Black Walnut

Family: JUNCACEAE Rush Family

<i>Juncus bufonius</i> var. <i>bufonius</i>	Toad-rush
<i>Juncus effusus</i>	Common Rush, Lamp Rush
<i>Juncus tenuis</i> var. <i>tenuis</i>	Path-rush
<i>Luzula multiflora</i>	Common Woodrush

Family: LAMIACEAE Mint Family

<i>Collinsonia canadensis</i>	Northern Horse-balm, Richweed, Stoneroot
<i>Glechoma hederacea</i>	Ground-ivy, Gill-over-the-ground, Run-away-robin

Family: LAURACEAE Laurel Family

<i>Lindera benzoin</i> var. <i>benzoin</i>	Northern Spicebush, Wild Allspice, Benjamin-bush
<i>Sassafras albidum</i>	Sassafras, White Sassafras, "red Sassafras"

Family: LEMNACEAE Duckweed Family

<i>Lemna minor</i>	Lesser Duckweed, Duck's-meat
<i>Lemna</i>	Duckweed

Family: LILIACEAE Lily Family

<i>Allium canadense</i> var. <i>canadense</i>	Wild Garlic, Meadow-onion
<i>Allium vineale</i>	Field-garlic, Scallions
<i>Hemerocallis</i>	Daylily
<i>Hosta</i>	Hosta
<i>Hypoxis hirsuta</i>	Yellow Star-grass
<i>Maianthemum canadense</i> var. <i>canadense</i>	False or Wild Lily-of-the-valley, Canada Mayflower, Two-leaved Solomon's Seal
<i>Ornithogalum umbellatum</i>	Star-of-bethlehem, Nap-at-noon
<i>Polygonatum pubescens</i>	Small, True, or Hairy Solomon's Seal
<i>Smilacina racemosa</i>	False Solomon's Seal, False or Wild Spikenard, Solomon's Plume
<i>Trillium cernuum</i> var. <i>cernuum</i>	Nodding Trillium
<i>Uvularia perfoliata</i>	Perfoliate Bellwort, Merrybells
<i>Uvularia sessilifolia</i>	Wild Oats, Sessile Bellwort
<i>Veratrum viride</i>	False, White, or Green Hellebore, Itchweed

Family: LYCOPODIACEAE Clubmoss Family

<i>Diphasiastrum digitatum</i>	Creeping Jenny, Running Cedar, Ground-cedar, Dead-man's-fingers (RI Colloq.)
<i>Lycopodium clavatum</i>	Common, Running, or Staghorn Clubmoss, Buckhorn, Running Pine
<i>Lycopodium obscurum</i>	Prince's- or Princess-pine, Ground-pine, Flat-branched Tree-clubmoss

Family: LYTHRACEAE Loosestrife family

<i>Lythrum salicaria</i>	Purple Loosestrife
--------------------------	--------------------

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: MAGNOLIACEAE	
<i>Liriodendron tulipifera</i>	Tulip-tree, Yellow Poplar, Tulip-poplar
Family: MALVACEAE Mallow Family	
<i>Malva neglecta</i>	Cheeses, Common Mallow
Family: MONOTROPACEAE Indian Pipe Family	
<i>Monotropa hypopithys</i>	Pinesap, False Beech-drops
<i>Monotropa uniflora</i>	Indian Pipe, Corpse-plant
Family: MYRICACEAE Wax-myrtle family	
<i>Myrica pensylvanica</i>	Northern Bayberry, Candleberry
Family: NYMPHAEACEAE Water-lily Family	
<i>Nuphar</i>	Pond-lily, Pondlilly
Family: OLEACEAE Olives	
<i>Fraxinus americana</i>	White Ash
<i>Fraxinus pennsylvanica</i>	Red Ash (glabrous Plants Called Green Ash)
<i>Ligustrum</i>	Ligustrum, Privet
Family: ONAGRACEAE Evening-primrose Family	
<i>Circaea lutetiana var. canadensis</i>	Common Enchanter's Nightshade
<i>Oenothera biennis biennis</i>	Common Evening-primrose
Family: ORCHIDACEAE Orchids	
<i>Cypripedium acaule</i>	Pink Lady's-slipper, Moccasin Flower, Whip-poor-will Shoes, Nerve-root, Two-leaved Lady's-slipper
<i>Goodyera repens</i>	Dwarf or Lesser Rattlesnake-plantain
Family: OSMUNDACEAE Royal Fern Family	
<i>Osmunda cinnamomea</i>	Cinnamon Fern
<i>Osmunda claytoniana</i>	Interrupted Fern
<i>Osmunda regalis</i>	Royal Fern
Family: OXALIDACEAE	
<i>Oxalis</i>	
<i>Oxalis stricta</i>	Common Yellow Wood-sorrel
Family: PAEONIACEAE Paeony	
<i>Paeonia</i>	Peony
Family: PAPAVERACEAE Poppy Family	
<i>Chelidonium majus</i>	Celandine, Swallowwort
Family: PASSIFLORACEAE	
<i>Passiflora</i>	Passion Flower
Family: PHYTOLACCACEAE Pokeweed Family	
<i>Phytolacca americana</i>	Pokeweed, Pokeberry, Scoke, Poke, Inkberry, Pigeon-berry

# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

## Family: PINACEAE Pine family

<i>Abies balsamea</i>	Balsam Fir
<i>Larix laricina</i>	American or Black Larch, Tamarack
<i>Picea</i>	Spruce
<i>Picea abies</i>	Norway Spruce
<i>Picea glauca</i>	White or Cat Spruce
<i>Pinus resinosa</i>	Red Pine, Norway Pine
<i>Pinus strobus</i>	Eastern or Northern White Pine
<i>Tsuga canadensis</i>	Eastern or Canada Hemlock

## Family: PLANTAGINACEAE Plantain family

<i>Plantago lanceolata</i>	Ribgrass, Ripplegrass, English Plantain, Buckhorn
<i>Plantago major</i>	Common Plantain, Whiteman's-foot
<i>Plantago rugelii</i>	American, Rugel's, Red-stemmed, or Pale Plantain

## Family: PLATANACEAE Plane Trees

<i>Platanus occidentalis</i>	Sycamore, Buttonwood, Plane-tree
------------------------------	----------------------------------

## Family: POACEAE Grasses

<i>Agrostis hyemalis scabra</i>	Hairgrass, Fly-away Grass, Ticklegrass
<i>Agrostis hyemalis hyemalis</i>	Early Ticklegrass, Hairgrass
<i>Agrostis stolonifera var. stolonifera</i>	Creeping or Carpet Bent, Redtop
<i>Andropogon virginicus var. virginicus</i>	Broom-sedge
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass
<i>Bromus ciliatus</i>	Fringed Brome-grass or Brome
<i>Dactylis glomerata</i>	Orchard-grass
<i>Echinochloa crus-galli</i>	Watergrass
<i>Eragrostis capillaris</i>	Lace-grass, Lace-lovegrass
<i>Festuca</i>	Fescue
<i>Festuca ovina</i>	Sheep-fescue, Hard Fescue
<i>Hierochloa odorata</i>	Sweet, Holy, Indian, or Vanilla Grass
<i>Leersia oryzoides</i>	Rice Cutgrass
<i>Panicum clandestinum</i>	Deertongue, (hidden) Panic-grass
<i>Panicum</i>	Panicum
<i>Panicum villosissimum</i>	(very Long-hairy) Panic-grass
<i>Phalaris arundinacea</i>	Reed Canary-grass
<i>Phleum pratense</i>	Meadow- or Common Timothy, Herds' Grass
<i>Phragmites australis</i>	Common or Tall Reed, Phragmites, Reed Grass, Phrag, Pampas Grass (RI Colloq.)
<i>Poa annua</i>	Annual or Low Speargrass, Annual Bluegrass, Six-weeks Grass
<i>Poa compressa</i>	Canada Bluegrass, Wiregrass, Flattened Meadow-grass
<i>Poa pratensis</i>	Kentucky Bluegrass, Junegrass, Speargrass
<i>Schizachyrium scoparium var. scoparium</i>	Little Bluestem, Bunchgrass, Broom- or Prairie-beardgrass, Broom-sedge, Wiregrass
<i>Sorghum</i>	Sorghum
<i>Vulpia octoflora var. glauca</i>	Slender Fescue, Six-weeks Fescue

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

### Family: POLYGONACEAE Buckwheat family

<i>Polygonum aviculare</i>	Birds' Knotweed, Doorweed, Common Knotgrass
<i>Polygonum cuspidatum</i>	Japanese Knotweed or Knotwood, "Bamboo" [RI Colloq.]
<i>Polygonum persicaria</i>	Lady's-thumb, Heart's-ease
<i>Rheum rhabarbaricum</i>	Garden Rhubarb
<i>Rumex acetosella</i>	Sheep-sorrel, Common or Red Sorrel
<i>Rumex crispus</i>	Curly or Yellow Dock

### Family: POLYPODIACEAE

<i>Polypodium virginianum</i> f. (tetraploid form)	Rock-fern, Common or Rock-polypody
--	------------------------------------

### Family: PONTEDERIACEAE Pickerelweed Family

<i>Pontederia cordata</i>	Pickerelweed
---------------------------	--------------

### Family: PRIMULACEAE Primrose Family

<i>Lysimachia quadrifolia</i>	Whorled Loosestrife
<i>Trientalis borealis</i>	Starflower

### Family: PTERIDACEAE

<i>Adiantum pedatum</i>	Northern Maidenhair Fern
-------------------------	--------------------------

### Family: PYROLACEAE Wintergreen Family

<i>Chimaphila maculata</i>	Pipsissewa, Spotted Wintergreen
<i>Chimaphila umbellata</i> var. <i>cisatlantica</i>	Pipsissewa, Wintergreen, Prince's Pine
<i>Pyrola</i>	Wintergreen
<i>Pyrola rotundifolia</i> var. <i>americana</i>	Round-leaved Pyrola or Shinleaf, Wild Lily-of-the-valley

### Family: RANUNCULACEAE Buttercups

<i>Actaea alba</i>	White Baneberry, Doll's-eyes, White Cohosh
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	Wood-anemone, Windflower, Mayflower (RI Colloq.)
<i>Aquilegia canadensis</i>	Wild Columbine, "meetinghouses," "honeysuckle"
<i>Ranunculus abortivus</i>	Kidney-leaved or Small-flowered Crowfoot
<i>Ranunculus acris</i>	Tall, Meadow-, or Common Buttercup, Blister-plant
<i>Ranunculus repens</i>	Creeping Buttercup
<i>Thalictrum</i>	Meadow-rue; Meadowrue
<i>Thalictrum dioicum</i>	Early Meadow-rue
<i>Thalictrum pubescens</i>	Tall Meadow-rue, Muskrat-weed, King-of-the-meadow

### Family: RHAMNACEAE Buckthorn Family

<i>Rhamnus cathartica</i>	Common Buckthorn
<i>Rhamnus frangula</i>	Glossy Buckthorn, European Alder-buckthorn

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

### Family: ROSACEAE Rose Family

<i>Agrimonia</i>	Agrimony
<i>Alchemilla</i>	Ladies' Mantle
<i>Aruncus dioicus</i>	Goat's-beard
<i>Crataegus</i>	Hawthorn
<i>Fragaria virginiana</i>	Wild Strawberry, Thick-leaved Wild Strawberry
<i>Geum</i>	Avens
<i>Geum canadense</i>	Large White Avens
<i>Potentilla anserina</i>	Silverweed, Argentine
<i>Potentilla argentea</i>	Silvery Cinquefoil
<i>Potentilla norvegica</i>	Rough Cinquefoil, Strawberry-weed
<i>Potentilla recta</i>	Sulfur or Rough-fruited Cinquefoil
<i>Potentilla simplex</i>	Common or Old-field Cinquefoil, Five-fingers
<i>Prunus avium</i>	Sweet Cherry, Bird-cherry
<i>Prunus cv.</i>	Cultivated Cherry or Plum Species
<i>Prunus serotina</i>	Wild Black Cherry, Rum Cherry
<i>Prunus virginiana var. virginiana</i>	Choke-cherry
<i>Pyrus communis</i>	Common Pear
<i>Pyrus cv.</i>	Crabapple Species
<i>Pyrus malus</i>	Apple
<i>Rosa multiflora</i>	Multiflora-rose
<i>Rosa virginiana</i>	Wild or Virginia Rose
<i>Rubus allegheniensis</i>	Common or Sowteat Blackberry
<i>Rubus bifrons</i>	Blackberry
<i>Rubus flagellaris</i>	Northern Dewberry
<i>Rubus hispidus</i>	Bristly, Swamp-, or Evergreen Dewberry
<i>Rubus idaeus var. idaeus</i>	Red Raspberry
<i>Rubus occidentalis</i>	Black Raspberry, Black-cap
<i>Rubus</i>	Dewberry, Blackberry
<i>Sorbus</i>	Mountain Ash
<i>Spiraea alba var. latifolia</i>	Meadowsweet
<i>Spiraea japonica</i>	Japanese Spiraea

### Family: RUBIACEAE Madder family

<i>Cephalanthus occidentalis occidentalis</i>	Buttonbush
<i>Galium aparine</i>	Cleavers, Goosegrass, Bedstraw
<i>Galium circaezans var. circaezans</i>	White Wild Licorice, Forest-bedstraw
<i>Galium mollugo</i>	Wild Madder, Bedstraw
<i>Hedyotis caerulea</i>	Bluets, Quaker Ladies, Innocence, Piss-a-bed (RI Colloq.)
<i>Mitchella repens</i>	Partridge-berry, Twinberry, Two-eyed Berry, Running Box

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: SALICACEAE Willow Family

<i>Populus deltoides deltoides</i>	Eastern Cottonwood, Necklace-poplar
<i>Populus grandidentata</i>	Big-toothed Aspen
<i>Populus tremuloides</i>	Quaking Aspen, Quiver-leaf
<i>Salix babylonica</i>	Weeping Willow
<i>Salix discolor</i>	Large Pussy-willow
<i>Salix nigra var. nigra</i>	Black Willow

Family: SANTALACEAE

<i>Comandra umbellata umbellata</i>	Bastard Toadflax
-------------------------------------	------------------

Family: SAXIFRAGACEAE

<i>Saxifraga pensylvanica</i>	Swamp-saxifrage
-------------------------------	-----------------

Family: SCROPHULARIACEAE Figwort family

<i>Linaria canadensis canadensis</i>	Blue, Annual, or Old-field Toadflax
<i>Linaria vulgaris</i>	Butter-and-eggs
<i>Melampyrum lineare var. americanum</i>	Cow-wheat
<i>Pedicularis canadensis</i>	Common Lousewort, Forest-lousewort, Wood-betony
<i>Penstemon digitalis</i>	Tall White or Foxglove Beard-tongue
<i>Verbascum thapsus</i>	Common Mullein, Flannel-plant, Quaker-rouge
<i>Veronica arvensis</i>	Corn-speedwell
<i>Veronica officinalis</i>	Common Speedwell, Gypsyweed

Family: SMILACACEAE Catbrier Family

<i>Smilax</i>	Greenbrier
<i>Smilax glauca</i>	Sawbrier, Wild Sarsaparilla
<i>Smilax herbacea herbacea</i>	Carrion-flower, Carrion-vine, Jacob's Ladder
<i>Smilax rotundifolia</i>	Bullbrier, Common Greenbrier, Catbrier, Horsebrier

Family: SOLANACEAE Potato family

<i>Solanum carolinense</i>	Horse-nettle, Ball-nettle
<i>Solanum dulcamara</i>	European Bittersweet, Climbing Nightshade

Family: TAXACEAE

<i>Taxus baccata</i>	English Yew
<i>Taxus</i>	Unidentified Yew Seedling

Family: THELYPTERIDACEAE Thelypteris Family

<i>Thelypteris noveboracensis</i>	New York Fern
<i>Thelypteris palustris var. pubescens</i>	Marsh- or Meadow-fern

Family: TILIACEAE Basswood

<i>Tilia</i>	Basswood
--------------	----------

Family: TYPHACEAE Cattail family

<i>Typha latifolia</i>	Common Cattail, Cat-o'-nine-tails
------------------------	-----------------------------------

Family: ULMACEAE

<i>Ulmus americana</i>	American or White Elm
<i>Ulmus rubra</i>	Slippery or Red Elm

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: URTICACEAE Nettle Family

*Urtica dioica*

California Nettle, Sender Nettle, Stinging Nettle, Tall Nettle

*Urtica dioica var. procera*

Stinging Nettle

Family: VIOLACEAE Violets, Violettes

*Viola conspersa*

American Dog-violet

*Viola cucullata*

Marsh Blue Violet

*Viola sororia*

Wooly Common or Northern Blue Violet, Dooryard-violet

*Viola*

Violet, Violettes

Family: VITACEAE Grapevine family

*Parthenocissus quinquefolia*

Virginia Creeper, Woodbine

*Vitis*

Grape

*Vitis labrusca*

Fox-grape

---

### Lichens

Family: [UNASSIGNED]

*Lepraria caesioalba*

*Lepraria lobifigans*

Fluffy Dust lichen

*Lepraria neglecta*

Zoned Dust lichen

Family: ACAROSPORACEAE

*Acarospora fuscata*

Brown Cobblestone lichen

Family: AGYRIACEAE

*Sarea resinae*

Sarea lichen

*Trapelia involuta*

Trapelia lichen

*Trapeliopsis flexuosa*

Board lichens

Family: CANDELARIACEAE

*Candelaria concolor*

Lemon Candle-flame lichen

*Candelariella aurella*

Hidden Gold-speck lichen

*Candelariella efflorescens*

Powdery Gold-speck lichen

Family: CLADONIACEAE

*Cladina mitis*

Green Reindeer lichen

*Cladonia coniocraea*

Common Powderhorn

*Cladonia cristatella*

Common British Soldiers

*Cladonia grayi*

Cladonia lichen

*Cladonia polycarpoides*

Peg lichen

*Cladonia rangiferina*

Gray Reindeer lichen

*Cladonia strepsilis*

Olive Cladonia

*Pycnothelia papillaria*

Nipple lichen

Family: HYMENELIACEAE

*Aspicilia cinerea*

Cinder Sunken-disk lichen

Family: ICMADOPHILACEAE

*Dibaeis baeomyces*

Pink Earth lichen



# BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

## Family: LECANORACEAE

<i>Lecanora caesiorubella subsp. prolifera</i>	Frosted Rim lichen
<i>Lecanora dispersa</i>	Mortar Rim-lichen
<i>Lecanora hybocarpa</i>	Bumpy Rim lichen
<i>Lecanora polytropa</i>	Granite-speck Rim-lichen
<i>Lecanora strobilina</i>	Rim lichen
<i>Lecanora symmicta</i>	Fused Rim lichen
<i>Lecanora thysanophora</i>	Mapledust Rim lichen
<i>Pyrrhospora varians</i>	Crimson Dot lichen
<i>Scoliciosporum chlorococcum</i>	City Dot lichen, Green Needle lichen

## Family: MICAREACEAE

<i>Micarea erratica</i>	Dot Lichen
<i>Psilolechia lucida</i>	Sulphur Dust lichen

## Family: PARMELIACEAE

<i>Evernia mesomorpha</i>	Boreal Oakmoss lichen
<i>Flavoparmelia baltimorensis</i>	Rock Greenshield lichen
<i>Flavoparmelia caperata</i>	Common Greenshield lichen
<i>Hypogymnia physodes</i>	Hooded Tube lichen
<i>Melanelixia subaurifera</i>	
<i>Parmelia sulcata</i>	Hammered Shield lichen
<i>Punctelia rudecta</i>	Rough Speckled Shield lichen
<i>Usnea strigosa major</i>	Bushy Beard lichen
<i>Xanthoparmelia conspersa</i>	Peppered Rock-shield lichen

## Family: PELTIGERACEAE

<i>Peltigera didactyla</i>	Alternate Dog Pelt lichen
----------------------------	---------------------------

## Family: PERTUSARIACEAE

<i>Ochrolechia arborea</i>	Saucer lichen
<i>Pertusaria xanthodes</i>	Volcano Wart lichen

## Family: PHYSCIACEAE

<i>Amandinea punctata</i>	Tiny Button lichen
<i>Buellia stillingiana</i>	Common Button lichen
<i>Dimelaena oreina</i>	Mountain lichen
<i>Phaeophyscia rubropulchra</i>	Wreath lichen
<i>Physcia adscendens</i>	Hooded Rosette lichen
<i>Physcia aipolia</i>	Hoary Rosette lichen
<i>Physcia millegrana</i>	Mealy Rosette lichen

## Family: PORPIDIACEAE

<i>Porpida albocaerulescens</i>	Smoky-eyed Boulder lichen
---------------------------------	---------------------------

## Family: RAMALINACEAE

<i>Ramalina americana</i>	Sinewed Ramalina lichen
---------------------------	-------------------------

## Family: RHIZOCARPACEAE

<i>Rhizocarpon obscuratum</i>	Dusky Map Lichen
<i>Rhizocarpon rubescens</i>	Map lichen

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: TELOSCHISTACEAE

<i>Caloplaca cerina</i>	Gray-rimmed Firedot lichen
<i>Caloplaca flavovirescens</i>	Sulphur Rock Firedot lichen
<i>Caloplaca holocarpa</i>	Firedot lichen

Family: UMBILICARIACEAE

<i>Lasallia papulosa</i>	Common Toadskin lichen
--------------------------	------------------------

Family: VEZDAEACEAE

<i>Vezeada leprosa</i>	
------------------------	--

---

### Fungi

Family: AGARICACEAE

<i>Coprinus disseminatus</i>	Little Helmet
------------------------------	---------------

Family: AMANITACEAE

<i>Amanita muscaria</i>	Fly Agaric
-------------------------	------------

Family: BOLBITIACEAE

<i>Agrocybe</i>	
-----------------	--

Family: BOLETACEAE

<i>Boletus</i>	a Bolete
----------------	----------

Family: CERATIOMYXACEAE

<i>Ceratiomyxa fruticulosa</i>	Forest Slime Mould
--------------------------------	--------------------

Family: CLAVICORONACEAE

<i>Clavicornia pyxidata</i>	Crown Coral
-----------------------------	-------------

Family: CONIOPHORACEAE

<i>Pseudomerulius aureus</i>	
------------------------------	--

Family: COPRINACEAE

<i>Coprinus micaceus</i>	Inky Cap
--------------------------	----------

Family: CORIOLACEAE

<i>Daedalea quercina</i>	Oak Maze Gill
<i>Laetiporus sulphureus</i>	Chicken of the Woods, Sulphur Shelf
<i>Piptoporus betulinus</i>	Birch Polypore
<i>Trametes versicolor</i>	Turkey Tail
<i>Trichaptum bifforme</i>	Violet Toothed Polypore

Family: CORTINARIACEAE

<i>Cortinarius</i>	
--------------------	--

Family: CYPHELLACEAE

<i>Sarcodontia setosa</i>	
---------------------------	--

Family: ENTOLOMATACEAE

<i>Entoloma griseum (Peck) Hesler (1967)</i>	
--	--

Family: EXIDIACEAE

<i>Exidia recisa</i>	Black Witches Butter
----------------------	----------------------

## BioBlitz 2006 Species Tally- Cumberland Monestary, Cumberland, RI

---

Family: POLYPORACEAE

*Polyporus mori*

Hexagonal Pored Polypore

*Polyporus squamosus*

Dryad's Saddle

Family: PSATHYRELLACEAE

*Psathyrella*

Family: PUCCINIACEAE

*Gymnosporangium juniperivirginianae*

Cedar Apple Rust

Family: RAMARIACEAE

*Ramaria aurea*

Family: RUSSULACEAE

*Russula*

Family: STEREACEAE

*Stereum ostrea*

False Turkey Tail

Family: STROPHARIACEAE

*Stropharia rugosoannulata*

Family: TREMELLACEAE

*Tremella mesenterica*

Family: TRICHOLOMATACEAE

*Collybia dryophila*

Russet Shank

*Marasmius rotula*

*Megacollybia platyphylla*

Broad-gilled Collybia or Platefull

Family: VENTURIACEAE

*Apiosporina morbosa*

Black Knot of Wild Cherry